

VVX250

Plug in Guide

1. Unbox the phone and get the curly cord, handset and phone out in front of you.
2. Plug the shorter end of the curly cord into the handset (in the red circle)



3. Plug the longer end of the cord into the furthest right port of the phone. It is marked with the handset symbol (in the yellow circles).



4. Tuck the curly cord into the back of the phone



5. Plug the network cable into the furthest left port on the back of the phone (in green circle)
6. Plug the other end of the cable into the wall port.
7. Fit the stand as required.



If you are having any difficulty following this guide or you are unable to get the handset to come live, please contact the support team on 02036753399 (or email them at cloudsupport@onecom.co.uk).

If this is part of a new handset order, please remember you will have to contact the support team to assign the handset. Please have your ticket number to hand as per the email you will have received when the handset was dispatched.

PC Pass Through

The above instruction presumes the phone is being plugged into an empty wall port. However, it is possible to use PC pass through on the phone which allows you to connect a phone and a PC to the same wall port. Please note, this must be a PC and a phone it cannot be two phones.

To do this please follow the instructions above and plug the phone into the wall port as described. You will then need to use a second cable to link the PC to the phone. To do this, plug one end of the cable into the port in blue on the image below and the other end into the PC.

Once you have done the set-up should be
Wall Port -> Phone -> PC.

If PC pass through is not being used the port in blue above should be empty





onecom

www.onecom.co.uk